Condensed imidazopyridine derivatives with psychotropic activity.

Publication number: JP5286973 (A)

Publication date: 1993-11-02

Inventor(s): TAKADA SUSUMU; SASAYA TAKASHI; CHOME! NOBUO; ADACH! MAKOTO: MATSUSHITA SUSUMU +

Applicant(s): SHIONOGI & CO +

- international: A6

Also published as:

more >>

A61K31/435; A61K31/47; A61P25/20; A61P25/26; A61P25/28; C07D471/04; C07D471/14; C07D491/14; C07D491/147; C07D495/04; C07D495/14; A61K31/435; A61K31/47; A61P25/00; C07D471/00; C07D491/00; C07D495/00; (IPC1-7): A61K31/435, A61K31/47; C07D495/04; C07D471/14; C07D491/147; C07D495/14

- European: C07D471/04; C07D471/14; C07D491/14; C07D495/14 Application number: JP19930022444 19930210 Priority number(s): JP19920059347 19920212

Abstract of JP 528977 (A) PURPOSETS of the an overled compound which is useful as an animarwisy agent, a narcotic antagonist or a cereful interfucio antivator because in less high or a cereful interfucio antivator because in less high CONSTITUTIONA compound of formula IR is cubisibilized, and require la compound of formula IR is cubisibilized, and resultant production of 5 to 9 members). Or example, 2 (Seaschipf) + 5,27,3 mg/srine. The compound of formula Is is obtained by reaction of a scheme of formula I is obtained by reaction of as bettoy of lichide in a solvent such as pyridise as bettoy of lichide in a solvent such as pyridise compound of formula I with an averylating agent such as bettoy of lichide in a solvent such as pyridise compound of formula Illiant and the resultant compound of formula Illiant can of the resultant

Data supplied from the espacenet database - Worldwide